Volume 18, 1996

CONTENTS

January

1 **Editorial**

Review

2 A review of parametric modelling techniques for EEG analysis
J. Pardey, S. Roberts and L. Tarassenko

Papers

12 Neural network analysis of the EMG interference pattern
E.W. Abel, P.C. Zacharia, A. Forster and T.L. Farrow

18 Accuracy of telemetry signals in the post-implantation monitoring of electrograms sensed by pacemakers
R. Maestri, M. Bernasconi, M. Marzegalli and G.D. Pinna

26 An analytical solution to solute transport in continuous arterio-venous hemodiafiltration (CAVHD)
E. Akcahuseyin, W.A. van Duyl, M.C. Vos and H.H. Vincent

36 A transputer-based physiological signal processing system. Part 2—System testing and investigation of flow through models of very small arterial stenoses
T.M. Robinson, D.M. Cowan, J.W. Lee and V.C. Roberts

45 Separation of cardiac conduction system and atrial activities by spatial regression
P.Y. Kawaoka and S.M. Yamashiro

51 Real time frequency domain fibreoptic temperature sensor using ruby crystals
J.R. Alcala, S-C. Liao and J. Zheng

57 Pulsatile impeller heart: a viable alternative to a problematic diaphragm heart
Kun-Xi Qian

Technical notes

67 Haematological variations of experimental pigs during biventricular assistance with impeller total heart
Kun-Xi Qian, Shoei-Shen Wang and Shu-Hsun Chu

70 Sensitivity of femoral strain pattern analyses to resultant and muscle forces at the hip joint
M. Lengsfeld, J. Kaminsky, B. Merz and R.P. Franke

Communication

79 Evolution during growth of the mechanical properties of the cortical bone in equine cannon-bones
G. Bigot, A. Bouzidi, C. Rumelhart and W. Martin-Rosset

March

Review

89 Application of finite elements to the stress analysis of articular cartilage
A.A.J. Goldsmith, A. Hayes and S.E. Clift

Papers

99 Analysis of load-relaxation in compressed segments of lumbar spine
A.D. Holmes and D.W.L. Hukins

105 A non-invasive continuous method of measuring blood volume during haemodialysis using optical techniques
M.P. McMahon, S.B. Campbell, G.F. Shannon, J.S. Wilkinson and S.J. Fleming

110 Vaginal temperature sensing using UHF radio telemetry
Z. McCreesh, N.E. Evans and W.G. Scanlon

115 Fixation of femoral allograft/prosthesis composites after 25%, 50% and 75% resection
S.S. Kohles, M.D. Markel, M.G. Rock, E.Y.S. Chao and R. Vanderby Jr

122 Stress and strain distribution within the intact femur: compression or bending?
M.E. Taylor, K.E. Tanner, M.A.R. Freeman and A.L. Yettram

132 Computationally efficient sub-band coding of ECG signals
J.H. Husøy and T. Gjerde

Technical notes

143 A method for the extraction of an object from a noisy background
G.N. Livieratos and P.H. Chappell

150 Design of an FECG scalp electrode fetal heart rate monitor
F. Bereksi Reguig and D.L. Kirk

161 A fluid dynamics study of the Trac™ catheter
G. Desaraju, E.C. Eckstein and S.K. Roy

167 Patient monitoring system for load measurement with spinal fixation devices
F. Graichen, G. Bergmann and A. Rohlmann

April

Special Feature

175 **Editorial**—Special feature on rehabilitation technology
M. Hawley

176 Implications of the emerging home systems technologies for rehabilitation
M. Cooper and D. Keating

181 From SAW to Comspec
D. Colven and M. Lundälv

187 Providing rehabilitation integrated systems using existing rehabilitation technology
A.D. Cherry, P.A. Cudd and M.S. Hawley

193 Integrating assistive technologies: current practices and future possibilities
P. Nisbet

203 An integrated approach to Smart House technology for people with disabilities
B. Allen

Papers

207 Frictional action at lower limb/prosthetic socket interface
M. Zhang, A.R. Turner-Smith, V.C. Roberts and A. Tanner

215 Clarification of the mechanical behaviour of spinal motion segments through a three-dimensional poroelastic mixed finite element model
J.S.S. Wu and J.H. Chen

225 Fit to diastolic arterial pressure by third-order lumped model yields unreliable estimates of arterial compliance
R. Fogliardi, R. Burattini, S.G. Shroff and K.B. Campbell

234 Discussion on the design of a hip joint simulator
M. Viceconti, G. Cavallotti, A.O. Andrisano and A. Toni

Technical notes

241 Finite element stress analysis of a hybrid fracture fixation plate
S.J. Ferguson, U.P. Wyss and D.R. Pichora

251 A numerical model of an intensive care ventilator–humidifer system
T. Drew, A. Vardy, W. Tarnow-Mordi and R. Lerski

June

Reviews

263 Conduit-mounted cardiac valve prostheses: a review of their uses, design and *in vivo* performance
C.R. Gentle and S.E. Leefe

273 Glucose monitoring: state of the art and future possibilities
E. Wilkins and P. Atanasov

289 Human head–neck biomechanics under axial tension
N. Yoganandan, F.A. Pintar, D.J. Maiman, J.F. Cusick, A. Sances Jr and P.R. Walsh

295 Computation of vascular flow dynamics from intravascular ultrasound images
K.B. Chandran, M.J. Vonesh, A. Roy, S. Greenfield, B. Kane, R. Greene and D.D. McPherson

305 The influence of external fixators on fracture motion during simulated walking
T.N. Gardner, M. Evans and J. Kenwright

314 Development of a home ankle exerciser
R.D. Petrosenko, A.A. Vandervoort, B.M. Chesworth, M.M. Porter and G.J. Campbell

320 Comparative testing of pulsatile impeller total heart and sarns nonpulsatile roller as biventricular assist device in pigs
K.X. Qian, S.S. Wang and S.H. Chu

Communication

326 A focal stress gradient-dependent mass transfer mechanism for atherogenesis in branching arteries
M. Lei, C. Kleinstreuer and G.A. Truskey

Letter to the Editor

333 Comments on "Exponentially tapered t-tube model of systemic arterial system in dogs"
R. Burattini, R. Fogliardi and R. Gobbi

336 Reply to Professor Burattini's comments on "Exponentially tapered t-tube model of systemic arterial system in dogs"
K.-C. Chang

Technical note

339 A computer model of major haemorrhage and resuscitation
S.H. Simpson, G. Menezes, S.N. Mardel, S. Kelly, R. White and T. Beattie

July

Papers

345 Mechanical testing of isolated senile human eye lens nuclei
G. Czygan and C. Hartung
350 Model prediction of vibration effects on human subject seated on various cushions
W. Qassem
359 Effect of probe design and bandwidth on laser Doppler readings from vital and root-filled teeth
T.M. Odor, T.R. Pitt Ford and F. McDonald
365 Monitoring of heart and respiratory rates by photoplethysmography using a digital filtering technique
K. Nakajima, T. Tamura and H. Miike
373 Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone
C.F. Njeh, R. Hodgskinson, J.D. Currey and C.M. Langton
382 Radiograph processing for quantitative assessment of bone remodelling
A.L. Audenino, E.M. Zanetti and P.M. Calderale
390 A comparative analysis of various EMG pattern recognition methods
W.-J. Kang, C.-K. Cheng, J.-S. Lai, J.-R. Shiu and T.-S. Kuo
396 Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation
N.D. Broom, A. Oloyede, R. Flachsmann and M. Hows
405 A comparison of three vibrators in static posturography: the effect of vibration amplitude on body sway
S. Uimonen, M. Sorri, K. Laitakari and T. Jämsä
410 A mathematical model of the impact response of the seated subject
H. Broman, M. Pope and T. Hansson
420 A new system for three-dimensional kinematic trajectory acquisition and analysis–I
Yin Zejie, Yang Yanming, Wei Qihang and Lu Wenlian
427 A new system for three-dimensional kinematic trajectory acquisition and analysis–II
Yin Zejie, Yang Yanming, Lu Wenlian and Wei Qihang

Technical note

433 A cost-effective, accurate machine for testing the torsional strength of sheep long bones
T. Jämsä and P. Jalovaara

September

Review

437 Modelling nanoscale fluid dynamics and transport in physiological flows
M. Ciofalo, M.W. Collins and T.R. Hennessy

Papers

452 The integrated design of mechanical bi-leaflet prosthetic heart valves
T. David and C.H. Hsu
463 Dynamic analysis and geometry models for the design of bi-leaflet prosthetic mechanical heart valves
T. David and C.H. Hsu
477 A lumped parameter model to evaluate the fluid dynamics of different coronary bypasses
R. Pietrabissa, S. Mantero, T. Marotta and L. Menicanti
485 *In vitro* load measurement using an instrumented spinal fixation device
A. Rohlmann, L.H. Riley III, G. Bergmann and F. Graichen
489 Quantitative assessment of cortical bone remodelling from routine radiographs of total hip arthroplasty
F.H. Dujardin, G. Bocquet, J.Y. Ertaud and J.M. Thomine
495 A new *in vitro* measurement technique for small 3-dimensional joint motion and its application to the sacroiliac joint
M. Wang, J.T. Bryant and G.A. Dumas
502 A minimal parametric model of the femur to describe axial elastic strain in response to loads
L. Cristofolini, A. Cappello, B.P. McNamara and M. Viceconti

Technical notes

515 The development of the Port-a-Bidet: A portable bidet for people with minimal hand function
J. Burkitt, G. Martin, G.H. Kay, G.E. Torrens, C. Chapman and D. Sandbach
519 Data recovery from reduced electrode connection in electrical impedance tomography
A. Taktak, P. Record, R. Gadd and P. Rolfe

October

Papers

523 A new single-fibre laser Doppler flowmeter based on digital signal processing
H. Cai, H. Pettersson, H. Rohman, S.-E. Larsson and P.Å. Öberg
529 Real-time implementation of electromyogram pattern recognition as a control command of man–machine interface
Gwo-Ching Chang, Wen-Juh Kang, Jer-Junn Luh, Cheng-Kung Cheng, Jin-Shin Lai, Jia-Jin J. Chen and Te-Son Kuo

538 Surface action potentials related to torque output in paraplegics' electrically stimulated quadriceps muscle
E. Rabischong
548 Characterizing three-dimensional topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques
A. Wennerberg, R. Ohlsson, B.-G. Rosén and B. Andersson
557 Quantitative CT in the measurement of bone quantity and bone quality for assessing osteoporosis
G. Dougherty
569 Finite element modeling of the C4–C6 cervical spine unit
N. Yoganandan, S.C. Kumaresan, Liming Voo, F.A. Pinter and S.J. Larson
575 The vibrational mode of the tibia and assessment of bone union in experimental fracture healing using the impulse response method
Yukio Nakatsuchi, Akira Tsuchikane and Akio Nomura
584 The mechanical properties of catgut in holding and bonding fractured bones
M.O. Othman, W. Qassem and A.B. Shahalam

Technical notes

591 Development of a low-cost video vector for the display of ground reaction forces during gait
P.J. Rowe
596 Vibration analysis in the detection of total hip prosthetic loosening
P.L.S. Li, N.B. Jones and P.J. Gregg

Communication

601 The loss of stiffness as osteoporosis progresses
H.J. Werner, H. Martin, D. Behrend, K.-P. Schmitz and H.-C. Schober

Letter to the Editor

607 Three-dimensional finite element stress analysis of the polypropylene ankle–foot orthoses: static analysis. Chu *et al.*
J.P. Paul
608 Author's response
Tai-Ming Chu and N.P. Reddy

December

Papers

609 Stroke normalized pressure: a useful parameter for the analysis of left ventricular outflow obstruction
A.S. Hay, D.J. Wilson, J.V. Tyberg and M.G. Faulkner
615 Simulation of cardiac activity and the ECG using a heart model with a reaction-diffusion action potential
O. Berenfeld and S. Abboud
626 A trend-detection algorithm for intraoperative EEG monitoring
H. Hinrichs, H. Feistner and H.J. Heinze
632 Short-term canine implantation of a glucose monitoring-telemetry device
P. Atanasov, S. Yang, C. Salehi, A.L. Ghindilis and E. Wilkins
641 Noninvasive method for measuring the electrical properties of deep tissues using an open-ended coaxial probe
A. Aimoto and T. Matsumoto
647 A method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement
H.S. Hedia, D.C. Barton, J. Fisher and T.T. Elmidany
655 Quantifying the kinematics of natural and prosthetic knee flexion
A.J. Long, F.P. Monsell, A.L. Redhead, M.L. Porter and D.W.L. Hukins
662 Realistic animation of human figures using artificial neural networks
Z. Taha, R. Brown and D. Wright
670 New product development processes within the UK medical device industry
J.M.W. Glen and M. Lord
677 Parametric and non-parametric estimation of speech formants: application to infant cry
A. Fort, A. Ismaelli, C. Manfredi and P. Bruscaglioni

Technical notes

692 A solution for linearity, stability and frequency bandwidth in PAM electrocutaneous stimulators' isolation interface
P. Nohama and A. Cliquet Jr.
696 Simulation of a programmable pulser for phased array transducers
A.B. Tiedeu, M. Kom and P. Tricot
I Contents, Key Word and Author Index for Volume 18